

**Homework November 25, 2011. Quantum information theory and computation**

**Problem 1. Example of comparison between Von Neumann and Shannon entropies**

Suppose  $\rho = p|0\rangle\langle 0| + \frac{(1-p)}{2}(|0\rangle + |1\rangle)(\langle 0| + \langle 1|)$ . Evaluate  $S(\rho)$  and compare with the classical Shannon entropy corresponding to  $\{p, 1-p\}$ .

**Problem 2. Von Neumann Entropy of a tensor product**

Consider a composite system with tensor product density matrix  $\rho \otimes \sigma$ . Prove that

$$S(\rho \otimes \sigma) = S(\rho) + S(\sigma)$$

**Problem 3. Entanglement and negative conditional entropy**

Consider a pure state  $|AB\rangle$  of a composite system (say shared by Alice and Bob). Prove that  $|AB\rangle$  is entangled if and only if the conditional Von Neumann entropy is strictly *negative*.

**Problem 4. Analog of Araki-Lieb inequality for conditional entropy**

First show that for three random variables with any joint distribution the Shannon entropy always satisfies

$$H(X, Y|Z) \geq H(X|Z)$$

Consider now a tripartite quantum system with Hilbert space  $\mathcal{H}_A \otimes \mathcal{H}_B \otimes \mathcal{H}_C$ . Show that for quantum entropies it is *not* always true that  $S(A, B|C) \geq S(A|C)$ . Prove that instead the following is always true

$$S(A, B|C) \geq |S(A|C) - S(B|C)|$$