

# ÉCOLE POLYTECHNIQUE FÉDÉRALE DE LAUSANNE

School of Computer and Communication Sciences

**Handout 4**  
Homework 2

Information Theory and Coding  
Sep. 22, 2015

PROBLEM 1. A source has an alphabet of 4 letters. The probabilities of the letters and two possible sets of binary code words for the source are given below:

Letter	Prob.	Code I	Code II
$a_1$	0.4	1	1
$a_2$	0.3	01	10
$a_3$	0.2	001	100
$a_4$	0.1	000	1000

For *each* code, answer the following questions (no proofs or numerical answers are required).

(a) Is the code prefix-free?

*N.B.* A “prefix-free” code is also known as an *instantaneous* code.

(b) Is the code uniquely decodable?

(c) Give an heuristic description of the purpose of the first letter in the code words of code II.

PROBLEM 2. Let  $\bar{M} = \sum_i p_i l_i^{2015}$  be the 2015th moment (i.e., the expected value of the 2015th power) of the code word lengths  $l_i$  associated with an encoding of a random variable  $X$  with distribution  $p$ . Let  $\bar{M}_1 = \min \bar{M}$  over all prefix-free codes for  $X$ ; and let  $\bar{M}_2 = \min \bar{M}$  over all uniquely decodable codes for  $X$ . What relationship exists between  $\bar{M}_1$  and  $\bar{M}_2$ ?

PROBLEM 3. Consider the following method for constructing binary code words for a random variable  $U$  which takes values  $\{a_1, \dots, a_m\}$  with probabilities  $P(a_1), \dots, P(a_m)$ . Assume that  $P(a_1) \geq P(a_2) \geq \dots \geq P(a_m)$ . Define

$$Q_1 = 0 \quad \text{and} \quad Q_i = \sum_{k=1}^{i-1} P(a_k) \quad \text{for } i = 2, 3, \dots$$

The code word assigned to the letter  $a_i$  is formed by finding the binary expansion of  $Q_i < 1$  (i.e.,  $1/2 = .100\dots$ ,  $1/4 = .0100\dots$ ,  $5/8 = .1010\dots$ ) and letting the codeword be the first  $l_i$  bits of this expansion where  $l_i = \lceil -\log_2 P(a_i) \rceil$ .

(a) Construct binary code words for the probability distribution  $\{1/4, 1/4, 1/8, 1/8, 1/16, 1/16, 1/16, 1/16\}$ .

(b) Prove that the method described above yields a prefix-free code and the average codeword length  $\bar{L}$  satisfies

$$H(X) \leq \bar{L} < H(X) + 1.$$

PROBLEM 4. A random variable takes values on an alphabet of  $K$  letters, and each letter has the same probability. These letters are encoded into binary words using the Huffman procedure so as to minimize the average code word length. Let  $j$  and  $x$  be chosen such that  $K = x2^j$ , where  $j$  is an integer and  $1 \leq x < 2$ .

- (a) Do any code words have lengths not equal to  $j$  or  $j + 1$ ? Why?
- (b) In terms of  $j$  and  $x$ , how many code words have length  $j$ ?
- (c) What is the average code word length?

PROBLEM 5. Consider two discrete memoryless sources. Source 1 has an alphabet of 6 symbols with the probabilities, 0.3, 0.2, 0.15, 0.15, 0.1, 0.1. Source 2 has an alphabet of 7 letters with probabilities 0.3, 0.25, 0.15, 0.1, 0.1, 0.05, 0.05. Construct a binary and a ternary Huffman code for each source. Find the average number of code letters per source symbol in each case.

*Hint:* A ternary code is a mapping of source symbols to  $\{0, 1, 2\}^*$ . Observe that a ternary tree has an odd number of leaves. A fictitious symbol with probability 0 might therefore be needed for the code construction.

PROBLEM 6.

- (a) A source has an alphabet of 4 letters,  $a_1, a_2, a_3, a_4$ , and we have the condition  $P(a_1) > P(a_2) = P(a_3) = P(a_4)$ . Find the smallest number  $q$  such that  $P(a_1) > q$  implies that  $n_1 = 1$  where  $n_1$  throughout this problem is the length of the codeword for  $a_1$  in a Huffman code.
- (b) Show by example that if  $P(a_1) = q$  (your answer in part (a)), then a Huffman code exists with  $n_1 > 1$ .
- (c) Now assume the more general condition,  $P(a_1) > P(a_2) \geq P(a_3) \geq P(a_4)$ . Does  $P(a_1) > q$  still imply that  $n_1 = 1$ ? Why or why not?
- (d) Now assume that the source has an arbitrary number  $K$  of letters with  $P(a_1) > P(a_2) \geq \dots \geq P(a_K)$ . Does  $P(a_1) > q$  now imply  $n_1 = 1$ ?
- (e) Assume  $P(a_1) \geq P(a_2) \geq \dots \geq P(a_K)$ . Find the largest number  $q'$  such that  $P(a_1) < q'$  implies that  $n_1 > 1$ .